according to OSHA HCS (29CFR 1910.1200)

Revision: July 18, 2019

BAR'S LEAKS

# **1** Identification

## · Product identifier

- · Trade name: Bar's Leaks Automatic Transmission Treatment Left Side
- · Product code: 1400
- · Recommended use and restriction on use
- Recommended use: Additive
- · Restrictions on use: No relevant information available.
- Details of the supplier of the Safety Data Sheet • Manufacturer/Supplier:

Bar's Products P.O. Box 187 Holly, MI 48442 USA Phone: (810) 603-1321

• Emergency telephone number: ChemTel Inc. (800)255-3924 (North America) +1 (813)248-0585 (International)

# 2 Hazard(s) identification

· Classification of the substance or mixture

The product is not classified as hazardous according to the Globally Harmonized System (GHS).

#### · Label elements

- The product is not classified as hazardous according to OSHA GHS regulations within the United States.
- · GHS label elements Not regulated.
- · Hazard pictograms: Not regulated.
- · Signal word: Not regulated.
- · Hazard statements: Not regulated.
- Precautionary statements: Not regulated.

· Other hazards There are no other hazards not otherwise classified that have been identified.

# **3 Composition/information on ingredients**

- · Chemical characterization: Mixtures
- · Components: None in reportable quantities.

# 4 First-aid measures

- · Description of first aid measures
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:
- Wash with soap and water.

If skin irritation is experienced, consult a doctor.

- · After eye contact:
- Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

(Cont'd. on page 2)

according to OSHA HCS (29CFR 1910.1200)

Revision: July 18, 2019

## Trade name: Bar's Leaks Automatic Transmission Treatment - Left Side

(Cont'd. of page 1)

 After swallowing: Rinse out mouth and then drink plenty of water.
 Do not induce vomiting; immediately call for medical help.
 A person vomiting while lying on their back should be turned onto their side.

- Most important symptoms and effects, both acute and delayed: No relevant information available.
- · Indication of any immediate medical attention and special treatment needed:

No relevant information available.

#### 5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Foam Carbon dioxide Fire-extinguishing powder Gaseous extinguishing agents Water fog / haze
- For safety reasons unsuitable extinguishing agents: Water stream.
- Special hazards arising from the substance or mixture No relevant information available.
- Advice for firefighters
   Protective equipment:
- Wear self-contained respiratory protective device.
- Wear fully protective suit.
- · Additional information: Cool endangered product with water spray.

# 6 Accidental release measures

• Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation.

Particular danger of slipping on leaked/spilled product.

· Environmental precautions Do not allow to enter sewers/ surface or ground water.

#### · Methods and material for containment and cleaning up

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Remove from the water surface (e.g. skim or suck off).

Dispose of the collected material according to regulations.

Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

# 7 Handling and storage

· Handling

#### · Precautions for safe handling:

Keep out of reach of children. Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

(Cont'd. on page 3)

according to OSHA HCS (29CFR 1910.1200)

Revision: July 18, 2019

#### Trade name: Bar's Leaks Automatic Transmission Treatment - Left Side

(Cont'd. of page 2)

- · Conditions for safe storage, including any incompatibilities
- · Requirements to be met by storerooms and receptacles:

Store in cool, dry conditions in well sealed receptacles.

- **Information about storage in one common storage facility:** Store away from foodstuffs. Store away from oxidizing agents.
- · Specific end use(s) No relevant information available.
- 8 Exposure controls/personal protection
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Exposure controls
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin.
- Engineering controls: Provide adequate ventilation.
- · Breathing equipment: Not required under normal conditions of use.
- Protection of hands: Not required under normal conditions of use.
- The glove material has to be impermeable and resistant to the product.
- · Eye protection:



Safety glasses

Follow relevant national guidelines concerning the use of protective eyewear.

- · Body protection: Protective work clothing
- · Limitation and supervision of exposure into the environment No special requirements.
- · Risk management measures No special requirements.

<ul> <li>Information on basic physical</li> </ul>	and chemical properties	
· Appearance:		
Form:	Liquid	
Color:	Red	
· Odor:	Petroleum-like	
· Odor threshold:	Not determined.	
· pH-value:	Not determined.	
· Melting point/Melting range:	Not determined.	
· Boiling point/Boiling range:	Not determined.	

according to OSHA HCS (29CFR 1910.1200)

Revision: July 18, 2019

# Trade name: Bar's Leaks Automatic Transmission Treatment - Left Side

		(Cont'd. of page 3
· Flash point:	204.4 °C (399.9 °F)	
	The product is not flammable.	
· Flammability (solid, gaseous):	Not applicable.	
· Auto-ignition temperature:	Not determined.	
· Decomposition temperature:	Not determined.	
· Danger of explosion:	Product does not present an explosion hazard.	
· Explosion limits		
Lower:	Not determined.	
Upper:	Not determined.	
<ul> <li>Oxidizing properties:</li> </ul>	Non-oxidizing.	
· Vapor pressure:	Not determined.	
· Density at 20 °C (68 °F):	0.83-0.87 g/cm³ (6.93-7.26 lbs/gal)	
<ul> <li>Relative density:</li> </ul>	Not determined.	
<ul> <li>Vapor density:</li> </ul>	Not determined.	
<ul> <li>Evaporation rate:</li> </ul>	Not determined.	
<ul> <li>Solubility in / Miscibility with</li> </ul>		
Water:	Not miscible or difficult to mix.	
· Partition coefficient (n-octanol/wa	ter): Not determined.	
· Viscosity		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
<ul> <li>Other information</li> </ul>	No relevant information available.	

# 10 Stability and reactivity

- · Reactivity: No relevant information available.
- Chemical stability: Stable under normal temperatures and pressures.
- Thermal decomposition / conditions to be avoided:
- No decomposition if used and stored according to specifications.
- $\cdot$  Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No relevant information available.
- · Incompatible materials Oxidizing agents.
- · Hazardous decomposition products Carbon monoxide and carbon dioxide

# **11 Toxicological information**

- Information on toxicological effects
- Acute toxicity: Based on available data, the classification criteria are not met.
- · LD/LC50 values that are relevant for classification: None.
- · Primary irritant effect:
- On the skin: Based on available data, the classification criteria are not met.

(Cont'd. on page 5)

according to OSHA HCS (29CFR 1910.1200)

Revision: July 18, 2019

# Trade name: Bar's Leaks Automatic Transmission Treatment - Left Side (Cont'd. of page 4) · On the eye: Based on available data, the classification criteria are not met. • Sensitization: Based on available data, the classification criteria are not met. · Carcinogenic categories · IARC (International Agency for Research on Cancer): None of the ingredients are listed. · NTP (National Toxicology Program): None of the ingredients are listed. · OSHA-Ca (Occupational Safety & Health Administration): None of the ingredients are listed. · Probable route(s) of exposure: Ingestion. Inhalation. Eve contact. Skin contact. · Germ cell mutagenicity: Based on available data, the classification criteria are not met. · Carcinogenicity: Based on available data, the classification criteria are not met. • Reproductive toxicity: Based on available data, the classification criteria are not met. • STOT-single exposure: Based on available data, the classification criteria are not met. • STOT-repeated exposure: Based on available data, the classification criteria are not met. · Aspiration hazard: Based on available data, the classification criteria are not met.

# **12 Ecological information**

#### · Toxicity

- · Aquatic toxicity No relevant information available.
- · Persistence and degradability No relevant information available.
- Bioaccumulative potential: No relevant information available.
- Mobility in soil: No relevant information available.
- · Additional ecological information
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

· Other adverse effects No relevant information available.

# 13 Disposal considerations

# · Waste treatment methods

· Recommendation:

Smaller quantities can be disposed of with household waste.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

# · Uncleaned packagings

• Recommendation: Disposal must be made according to official regulations.

according to OSHA HCS (29CFR 1910.1200)

Revision: July 18, 2019

## Trade name: Bar's Leaks Automatic Transmission Treatment - Left Side

(Cont'd. of page 5)

UN-Number		
DOT, ADG, IMDG, IATA	Not regulated.	
· UN proper shipping name · DOT, ADG, IMDG, IATA	Not regulated.	
Transport hazard class(es)		
DOT, ADG, IMDG, IATA		
Class	Not regulated.	
Packing group		
DOT, ADG, IMDG, IATA	Not regulated.	
Environmental hazards		
Marine pollutant:	No	
Special precautions for user	Not applicable.	
Transport in bulk according to Annex	< II of	
MARPOL73/78 and the IBC Code	Not applicable.	

# 15 Regulatory information

 $\cdot$  Safety, health and environmental regulations/legislation specific for the substance or mixture

- · United States (USA)
- · SARA

· Section 302 (extremely hazardous substances):

None of the ingredients are listed.

· Section 355 (extremely hazardous substances):

None of the ingredients are listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

· TSCA (Toxic Substances Control Act)

All ingredients are listed or exempt.

· Proposition 65 (California)

· Chemicals known to cause cancer:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity for females:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity for males:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity:

(Cont'd. on page 7)

according to OSHA HCS (29CFR 1910.1200)

Revision: July 18, 2019

## Trade name: Bar's Leaks Automatic Transmission Treatment - Left Side

(Cont'd. of page 6)

None of the ingredients are listed.

# · EPA (Environmental Protection Agency):

None of the ingredients are listed.

#### · IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

# **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Date of preparation / last revision July 18, 2019 / -

#### · Abbreviations and acronyms:

ADG: Australia Dangerous Goods Code IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent OSHA: Occupational Safety & Health Administration TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit · Sources Website, European Chemicals Agency (echa.europa.eu) Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/ overview/home.do) Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org) Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6 Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5. Safety Data Sheets, Individual Manufacturers SDS Prepared by: ChemTel Inc. 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Vebsite: www.chemtelinc.com

according to OSHA HCS (29CFR 1910.1200)

Revision: July 17, 2019

BAR'S LEAKS

# **1** Identification

#### · Product identifier

- · Trade name: Bar's Leaks Automatic Transmission Treatment Right Side
- · Product code: 1400
- · Recommended use and restriction on use
- Recommended use: Additive
- · Restrictions on use: No relevant information available.
- Details of the supplier of the Safety Data Sheet • Manufacturer/Supplier:
- Bar's Products P.O. Box 187 Holly, MI 48442 USA Phone: (810) 603-1321

• Emergency telephone number: ChemTel Inc. (800)255-3924 (North America) +1 (813)248-0585 (International)

# 2 Hazard(s) identification

# · Classification of the substance or mixture

Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.

#### · Label elements

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms:



- · Signal word: Danger
- · Hazard statements:
- H304 May be fatal if swallowed and enters airways.
- · Precautionary statements:

P301+P310 If swallowed: Immediately call a poison center/doctor.

- P331 Do NOT induce vomiting.
- P405 Store locked up.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

• Other hazards There are no other hazards not otherwise classified that have been identified.

# 3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Components:

(Cont'd. on page 2)

according to OSHA HCS (29CFR 1910.1200)

Revision: July 17, 2019

## Trade name: Bar's Leaks Automatic Transmission Treatment - Right Side

	d. of page 1)
64742-54-7 Distillates (petroleum), hydrotreated heavy paraffinic	20-40%
🚸 Asp. Tox. 1, H304	
64742-55-8 Distillates (petroleum), hydrotreated light paraffinic	20-40%
🚸 Asp. Tox. 1, H304	
64742-47-8 Aliphatic Hydrocarbon	20-40%
& Asp. Tox. 1, H304 Flam. Liq. 4, H227	
Flam. Liq. 4, H227	
· Additional information:	I

For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret. For the wording of the listed Hazard Statements, refer to section 16.

# 4 First-aid measures

## · Description of first aid measures

#### • After inhalation:

Supply fresh air.

If experiencing respiratory symptoms: Call a poison center/doctor.

In case of unconsciousness place patient stably in side position for transportation.

- After skin contact:
- Clean with water and soap.

If skin irritation is experienced, consult a doctor.

- · After eye contact:
- Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

A person vomiting while lying on their back should be turned onto their side.

# • Most important symptoms and effects, both acute and delayed:

- Breathing difficulty
- Coughing

# · Danger:

Danger of impaired breathing.

May be fatal if swallowed and enters airways.

Danger of pneumonia.

Danger of pulmonary edema.

· Indication of any immediate medical attention and special treatment needed:

If swallowed, gastric irrigation with added, activated carbon.

If swallowed or in case of vomiting, danger of entering the lungs.

If necessary oxygen respiration treatment.

Later observation for pneumonia and pulmonary edema.

If medical advice is needed, have product container or label at hand.

# **5 Fire-fighting measures**

- · Extinguishing media
- Suitable extinguishing agents:

Foam

(Cont'd. on page 3)

according to OSHA HCS (29CFR 1910.1200)

Revision: July 17, 2019

## Trade name: Bar's Leaks Automatic Transmission Treatment - Right Side

(Cont'd. of page 2)

Carbon dioxide Fire-extinguishing powder Gaseous extinguishing agents Water fog / haze

- For safety reasons unsuitable extinguishing agents: Water stream. • Special hazards arising from the substance or mixture
- Formation of toxic gases is possible during heating or in case of fire.
- · Advice for firefighters
- **Protective equipment:** Wear self-contained respiratory protective device. Wear fully protective suit.
- · Additional information: Cool endangered containers with water fog.

## 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation.

For large spills, use respiratory protective device against the effects of fumes/dust/aerosol. Particular danger of slipping on leaked/spilled product.

- Environmental precautions Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Send for recovery or disposal in suitable receptacles.
- Reference to other sections
   See Section 7 for information on safe handling.
   See Section 8 for information on personal protection equipment.
   See Section 13 for disposal information.

# 7 Handling and storage

- · Handling
- · Precautions for safe handling:

Keep out of reach of children. Prevent formation of aerosols. Avoid splashes or spray in enclosed areas. Use only in well ventilated areas.

- · Conditions for safe storage, including any incompatibilities
- Requirements to be met by storerooms and receptacles: Containers should be tightly sealed.
- · Information about storage in one common storage facility:
- Store away from foodstuffs.
- Store away from oxidizing agents.
- **Specific end use(s)** No relevant information available.

# 8 Exposure controls/personal protection

(Cont'd. on page 4)

# Safety Data Sheet according to OSHA HCS (29CFR 1910.1200)

Revision: July 17, 2019

		(Cont'd. of page
· Control parameters		
-	require monitoring at the workplace:	
64742-47-8 Aliphatic Hydrocarbon		
EL (Canada) Long-term value: 200 r Skin	ng/m³	
Keep away from foodstuffs, beverage Wash hands before breaks and at the Do not inhale gases / fumes / aeroso • Engineering controls: Provide adec • Breathing equipment: Not required • Protection of hands: Not required under normal conditions Wear protective gloves to handle con • Eye protection: • Safety glasses	or handling chemicals should be followed. es and feed. e end of work. ls. quate ventilation. under normal conditions of use. s of use. htents of damaged or leaking units.	
9 Physical and chemical prope	orties	
Information on basic physical a		
<ul> <li>Information on basic physical a</li> <li>Appearance:</li> </ul>	and chemical properties	
Information on basic physical a		
<ul> <li>Information on basic physical a</li> <li>Appearance: Form: Color:</li> </ul>	and chemical properties Liquid Clear Yellow	
<ul> <li>Information on basic physical a</li> <li>Appearance: Form: Color:</li> <li>Odor:</li> </ul>	and chemical properties Liquid Clear Yellow Petroleum-like	
<ul> <li>Information on basic physical a</li> <li>Appearance:         <ul> <li>Form:</li> <li>Color:</li> </ul> </li> <li>Odor:         <ul> <li>Odor threshold:</li> </ul> </li> </ul>	and chemical properties Liquid Clear Yellow Petroleum-like Not determined.	
<ul> <li>Information on basic physical a</li> <li>Appearance:         <ul> <li>Form:</li> <li>Color:</li> </ul> </li> <li>Odor:         <ul> <li>Odor threshold:</li> <li>pH-value:</li> </ul> </li> </ul>	and chemical properties Liquid Clear Yellow Petroleum-like Not determined. Not determined.	
<ul> <li>Information on basic physical a</li> <li>Appearance: <ul> <li>Form:</li> <li>Color:</li> </ul> </li> <li>Odor: <ul> <li>Odor threshold:</li> <li>pH-value:</li> <li>Melting point/Melting range:</li> </ul> </li> </ul>	And chemical properties Liquid Clear Yellow Petroleum-like Not determined. Not determined. Not determined.	
<ul> <li>Information on basic physical a</li> <li>Appearance: <ul> <li>Form:</li> <li>Color:</li> </ul> </li> <li>Odor: <ul> <li>Odor threshold:</li> <li>pH-value:</li> <li>Melting point/Melting range:</li> <li>Boiling point/Boiling range:</li> </ul> </li> </ul>	and chemical properties Liquid Clear Yellow Petroleum-like Not determined. Not determined. Not determined. Not determined. Not determined.	
<ul> <li>Information on basic physical a</li> <li>Appearance: <ul> <li>Form:</li> <li>Color:</li> </ul> </li> <li>Odor: <ul> <li>Odor threshold:</li> <li>pH-value:</li> <li>Melting point/Melting range:</li> <li>Boiling point/Boiling range:</li> </ul> </li> </ul>	And chemical properties Liquid Clear Yellow Petroleum-like Not determined. Not determined. Not determined.	
<ul> <li>Information on basic physical a</li> <li>Appearance: <ul> <li>Form:</li> <li>Color:</li> </ul> </li> <li>Odor: <ul> <li>Odor threshold:</li> <li>pH-value:</li> <li>Melting point/Melting range:</li> </ul> </li> </ul>	And chemical properties Liquid Clear Yellow Petroleum-like Not determined. Not determined. Not determined. Not determined. Not determined. Not determined. 165 °C (329 °F)	
<ul> <li>Information on basic physical a</li> <li>Appearance: <ul> <li>Form:</li> <li>Color:</li> </ul> </li> <li>Odor: <ul> <li>Odor threshold:</li> </ul> </li> <li>pH-value: <ul> <li>Melting point/Melting range:</li> <li>Boiling point/Boiling range:</li> </ul> </li> <li>Flash point:</li> </ul>	And chemical properties Liquid Clear Yellow Petroleum-like Not determined. Not determined. Not determined. Not determined. Not determined. 165 °C (329 °F) The product is not flammable.	
<ul> <li>Information on basic physical a</li> <li>Appearance: <ul> <li>Form:</li> <li>Color:</li> </ul> </li> <li>Odor threshold: <ul> <li>pH-value:</li> <li>Melting point/Melting range:</li> <li>Boiling point/Boiling range:</li> </ul> </li> <li>Flash point: <ul> <li>Flammability (solid, gaseous):</li> </ul> </li> </ul>	And chemical properties Liquid Clear Yellow Petroleum-like Not determined. Not determined. Not determined. Not determined. Not determined. 165 °C (329 °F) The product is not flammable. Not applicable.	
<ul> <li>Information on basic physical a</li> <li>Appearance: Form: Color: Odor: Odor threshold: <ul> <li>PH-value:</li> <li>Melting point/Melting range:</li> <li>Boiling point/Boiling range:</li> </ul> </li> <li>Flash point: <ul> <li>Flammability (solid, gaseous):</li> <li>Auto-ignition temperature:</li> </ul> </li> </ul>	And chemical properties Liquid Clear Yellow Petroleum-like Not determined. Not determined. Not determined. Not determined. 165 °C (329 °F) The product is not flammable. Not applicable. Not determined.	

according to OSHA HCS (29CFR 1910.1200)

Revision: July 17, 2019

		(Cont'd. of page
Explosion limits		
Lower:	Not determined.	
Upper:	Not determined.	
Oxidizing properties:	Non-oxidizing.	
Vapor pressure:	Not determined.	
Density at 20 °C (68 °F):	0.83-0.87 g/cm3 (6.93-7.26 lbs/gal)	
Relative density:	Not determined.	
Vapor density:	Not determined.	
Evaporation rate:	Not determined.	
Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix.	
Partition coefficient (n-octanol/	water): Not determined.	
Viscosity		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Other information	No relevant information available.	

# **10 Stability and reactivity**

· Reactivity: No relevant information available.

· Chemical stability: Stable under normal temperatures and pressures.

Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

- · Possibility of hazardous reactions Reacts with strong oxidizing agents.
- · Conditions to avoid No relevant information available.
- · Incompatible materials Oxidizers

· Hazardous decomposition products Carbon monoxide and carbon dioxide

# **11 Toxicological information**

· Information on toxicological effects

• Acute toxicity: Based on available data, the classification criteria are not met.

- · LD/LC50 values that are relevant for classification: None.
- · Primary irritant effect:
- · On the skin: Based on available data, the classification criteria are not met.
- · On the eye: Based on available data, the classification criteria are not met.
- Sensitization: Based on available data, the classification criteria are not met.
- · Carcinogenic categories

· IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

· NTP (National Toxicology Program):

None of the ingredients are listed.

(Cont'd. on page 6)

according to OSHA HCS (29CFR 1910.1200)

Revision: July 17, 2019

## Trade name: Bar's Leaks Automatic Transmission Treatment - Right Side

(Cont'd. of page 5)

#### · OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

· Probable route(s) of exposure:

Ingestion.

Inhalation. Eye contact.

Skin contact.

• Germ cell mutagenicity: Based on available data, the classification criteria are not met.

- · Carcinogenicity: Based on available data, the classification criteria are not met.
- Reproductive toxicity: Based on available data, the classification criteria are not met.
- STOT-single exposure: Based on available data, the classification criteria are not met.
- STOT-repeated exposure: Based on available data, the classification criteria are not met.
- Aspiration hazard: May be fatal if swallowed and enters airways.

# **12 Ecological information**

- · Toxicity
- · Aquatic toxicity No relevant information available.
- · Persistence and degradability No relevant information available.
- · Bioaccumulative potential: No relevant information available.
- Mobility in soil: No relevant information available.
- · Additional ecological information
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

· Other adverse effects No relevant information available.

# **13 Disposal considerations**

# · Waste treatment methods

#### · Recommendation:

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

## Uncleaned packagings

• Recommendation: Disposal must be made according to official regulations.

4 Transport information		
· UN-Number · DOT, ADG, IMDG, IATA	Not regulated.	
<ul> <li>· UN proper shipping name</li> <li>· DOT, ADG, IMDG, IATA</li> </ul>	Not regulated.	

# Safety Data Sheet according to OSHA HCS (29CFR 1910.1200)

Revision: July 17, 2019

ade name: Bar's Leaks Automatic Transmi	ssion Treatment - Right Side
	(Cont'd. of page
· Transport hazard class(es)	
· DOT, ADG, IMDG, IATA	
· Class	Not regulated.
· Packing group	
· DOT, ADG, IMDG, IATA	Not regulated.
· Environmental hazards	
· Marine pollutant:	No
<ul> <li>Special precautions for user</li> </ul>	Not applicable.
· Transport in bulk according to Annex	ll of
MARPOL73/78 and the IBC Code	Not applicable.
5 Regulatory information	
United States (USA)     SARA     Soction 202 (extremely becordeus substate)	2000)
Section 302 (extremely hazardous substar None of the ingredients are listed.	nces):
Section 355 (extremely hazardous substar	2000):
None of the ingredients are listed.	ices).
Section 313 (Specific toxic chemical listing	as).
None of the ingredients are listed.	ys).
• TSCA (Toxic Substances Control Act)	
All ingredients are listed or exempt.	
Proposition 65 (California)     Chemicals known to cause cancer:     Present in trace quantities.	
512-56-1 trimethyl phosphate	
$\cdot$ Chemicals known to cause developmenta	I toxicity for females:
None of the ingredients are listed.	
$\cdot$ Chemicals known to cause developmenta	I toxicity for males:
None of the ingredients are listed.	
• Chemicals known to cause developmenta Present in trace quantities.	I toxicity:
7446-09-5 sulphur dioxide	
· EPA (Environmental Protection Agency):	
EPA (Environmental Protection Agency):	
• EPA (Environmental Protection Agency): None of the ingredients are listed. • IARC (International Agency for Research of	n Cancer).

according to OSHA HCS (29CFR 1910.1200)

Revision: July 17, 2019

#### Trade name: Bar's Leaks Automatic Transmission Treatment - Right Side

(Cont'd. of page 7)

None of the ingredients are listed.

#### **16 Other information** This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. · Date of preparation / last revision July 17, 2019 / - Abbreviations and acronyms: ADG: Australia Dangerous Goods Code IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent OSHA: Occupational Safety & Health Administration TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Flam. Liq. 4: Flammable liquids - Category 4 Asp. Tox. 1: Aspiration hazard - Category 1 Sources Website, European Chemicals Agency (echa.europa.eu) Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/ overview/home.do) Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org) Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6 Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5. Safety Data Sheets, Individual Manufacturers SDS Prepared by: ChemTel Inc. 1305 North Florida Avenue Tampa, Florida USA 33602-2902 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573 Website: www.chemtelinc.com