

Versio 2.0	•• ••	evision Date: 0/15/2019		0S Number: 0000001248	Date of last issue: - Date of first issue: 08/02/2017					
SECTI	SECTION 1. IDENTIFICATION									
P	roduct n	ame	:	CYCLO BPC NO	N-CHLOR LOW-VOC 12/14OZ					
P	roduct c	ode	:	C111C						
	Manufacturer or supplier's Company name of supplier				LC					
A	Address		:	Dallas TX 75225						
E	Email Address		:	EHS@niteoproducts.com						
Т	Telephone		:	1-844-696-4836						
	Emergency telephone num- ber		:	1-800-424-9300 / 1-703-741-5970						
R	ecomm	ended use of the c	hen	nical and restriction	ons on use					
R	ecomme	ended use	:	BRAKE PARTS C	CLEANER					
R	estrictio	ns on use	:	Use only outdoors	s or in a well-ventilated area.					

# SECTION 2. HAZARDS IDENTIFICATION

## GHS classification in accordance with 29 CFR 1910.1200

Flammable aerosols	:	Category 1
Skin irritation	:	Category 2
Eye irritation	:	Category 2A
Reproductive toxicity	:	Category 2
Specific target organ toxicity - single exposure	:	Category 3 (Central nervous system)
Specific target organ toxicity - repeated exposure (Inhala- tion)	:	Category 2 (Neurologic: other (neuropsychological effects, audi- tory dysfunction and effects on color vision))
Aspiration hazard	:	Category 1

# GHS label elements



Version 2.0	Revision Date: 10/15/2019	SDS Number: 600000001248	Date of last issue: - Date of first issue: 08/02/2017					
Haza	rd pictograms							
Signa	al word	: Danger	· ·					
Hazard statements		May be fatal if Causes skin in Causes seriou May cause dro Suspected of c May cause dar logical effects,	Extremely flammable aerosol. May be fatal if swallowed and enters airways. Causes skin irritation. Causes serious eye irritation. May cause drowsiness or dizziness. Suspected of damaging the unborn child. May cause damage to organs (Neurologic: other (neuropsycho- logical effects, auditory dysfunction and effects on color vision)) through prolonged or repeated exposure if inhaled.					
Preca	autionary statements	Prevention:						
		Do not handle understood. Keep away fro smoking. Do not spray o Pressurized co Do not breathe Wash skin thou Use only outdo	instructions before use. until all safety precautions have been read and m heat/sparks/open flames/hot surfaces. No n an open flame or other ignition source. ontainer: Do not pierce or burn, even after use. e dust/ fume/ gas/ mist/ vapours/ spray. roughly after handling. pors or in a well-ventilated area. e gloves/ protective clothing/ eye protection/ face					
		Response:						
		IF ON SKIN: W IF INHALED: F for breathing. ( IF IN EYES: R Remove conta rinsing. IF exposed or Do NOT induce If skin irritation If eye irritation	ED: Immediately call a POISON CENTER/doctor. /ash with plenty of soap and water. Remove person to fresh air and keep comfortable Call a POISON CENTER/doctor if you feel unwell. inse cautiously with water for several minutes. ct lenses, if present and easy to do. Continue concerned: Get medical advice/ attention. e vomiting. occurs: Get medical advice/ attention. persists: Get medical advice/ attention. minated clothing and wash before reuse.					
		Storage:						
		Store locked u	ventilated place. Keep container tightly closed. p. unlight. Do not expose to temperatures exceeding					
		Disposal:						
		Dispose of cor plant.	tents/ container to an approved waste disposal					



VersionRevision Date:SDS Number:Date of last issue: -2.010/15/201960000001248Date of first issue: 08/02/2017	7
--	---

#### Other hazards

None known.

# SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

## Hazardous components

Chemical name	CAS-No.	Concentration (% w/w)
Acetone	67-64-1	>= 50 - < 70
Toluene	108-88-3	>= 20 - < 30
Heptane, branched, cyclic and linear	426260-76-6	>= 10 - < 20
Carbon dioxide	124-38-9	>= 5 - < 10

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

# **SECTION 4. FIRST AID MEASURES**

General advice	:	Move out of dangerous area. Show this safety data sheet to the doctor in attendance. Symptoms of poisoning may appear several hours later. Do not leave the victim unattended.
If inhaled	:	Move to fresh air. Consult a physician after significant exposure. If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.
In case of skin contact	:	If on clothes, remove clothes. Remove contaminated clothing. If irritation develops, get med- ical attention. If on skin, rinse well with water. Wash contaminated clothing before re-use. If skin irritation persists, call a physician.
In case of eye contact	:	Immediately flush eye(s) with plenty of water. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.
If swallowed	:	Obtain medical attention. Do NOT induce vomiting. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician.
Most important symptoms and effects, both acute and delayed	:	May be fatal if swallowed and enters airways. Causes skin irritation. Causes serious eye irritation. May cause drowsiness or dizziness. Suspected of damaging the unborn child.



Vers 2.0	sion	Revision Date: 10/15/2019		0S Number: 0000001248	Date of last issue: - Date of first issue: 08/02/2017						
				May cause damage to organs through prolonged or repeated exposure if inhaled. This material (or a component) has produced hyperglycemia and ketosis following substantial ingestion.							
SEC	SECTION 5. FIREFIGHTING MEASURES										
	Suitable	e extinguishing media	:	Water spray Carbon dioxide (C Dry chemical Alcohol-resistant f							
	Unsuita media	able extinguishing	:	High volume wate	r jet						
	Specific fighting	c hazards during fire-	:	Do not allow run-o courses.	off from fire fighting to enter drains or water						
	Hazard ucts	ous combustion prod-	:	Carbon oxides							
	Specific ods	c extinguishing meth-	:	Product is compare	tible with standard fire-fighting agents.						
	Further	information	:	cumstances and t Fire residues and be disposed of in	measures that are appropriate to local cir- he surrounding environment. contaminated fire extinguishing water must accordance with local regulations. to cool fully closed containers.						
	Special for firef	l protective equipment ighters	:	In the event of fire	e, wear self-contained breathing apparatus.						

# SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	:	Use personal protective equipment. Remove all sources of ignition. Ensure adequate ventilation. Avoid breathing dust. Beware of vapours accumulating to form explosive concentra- tions. Vapours can accumulate in low areas. Evacuate personnel to safe areas. Persons not wearing protective equipment should be excluded from area of spill until clean-up has been completed.
Environmental precautions	:	Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.

# SECTION 7. HANDLING AND STORAGE



Version 2.0	Revision Date: 10/15/2019		DS Number: 0000001248	Date of last issue: - Date of first issue: 08/02/2017	
Advice on protection against fire and explosion		:	Take necessary action to avoid static electricity discharg (which might cause ignition of organic vapours). Keep away from open flames, hot surfaces and sources ignition. Use only explosion-proof equipment. Do not spray on a naked flame or any incandescent mat		
Adv	Advice on safe handling		<ul> <li>Open drum carefully as content may be under pressure.</li> <li>Provide sufficient air exchange and/or exhaust in work ro Do not breathe vapours/dust.</li> <li>Do not smoke.</li> <li>Take precautionary measures against static discharges.</li> <li>Avoid contact with skin and eyes.</li> <li>Dispose of rinse water in accordance with local and nation regulations.</li> <li>Container hazardous when empty.</li> <li>Smoking, eating and drinking should be prohibited in the plication area.</li> <li>For personal protection see section 8.</li> </ul>		
Con	ditions for safe storage	:	exposure and ten or throw into fire e red-hot objects. Keep container tig place.		
	her information on stor- stability	:	No decomposition	n if stored and applied as directed.	

# SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

# Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Acetone	67-64-1	TWA	250 ppm	ACGIH
		STEL	500 ppm	ACGIH
		TWA	250 ppm 590 mg/m3	NIOSH REL
		TWA	1,000 ppm 2,400 mg/m3	OSHA Z-1
		TWA	750 ppm 1,800 mg/m3	OSHA P0
		STEL	1,000 ppm 2,400 mg/m3	OSHA P0
Toluene	108-88-3	TWA	20 ppm	ACGIH
		TWA	100 ppm 375 mg/m3	NIOSH REL



ersion D		SDS Number: 600000001248	2010 01	last issue: - first issue: 08/02/2017	
			ST	150 ppm 560 mg/m3	NIOSH RE
			TWA	200 ppm	OSHA Z-2
			CEIL	300 ppm	OSHA Z-2
			Peak	500 ppm (10 minutes)	OSHA Z-2
			TWA	100 ppm 375 mg/m3	OSHA P0
			STEL	150 ppm 560 mg/m3	OSHA P0
Hepta linear	ane, branched, cyclic and	426260-76-6	TWA	400 ppm	ACGIH
			STEL	500 ppm	ACGIH
Carbo	on dioxide	124-38-9	TWA	5,000 ppm	ACGIH
			STEL	30,000 ppm	ACGIH
			TWA	5,000 ppm 9,000 mg/m3	NIOSH RE
			ST	30,000 ppm 54,000 mg/m3	NIOSH RE
			TWA	5,000 ppm 9,000 mg/m3	OSHA Z-1
			TWA	10,000 ppm 18,000 mg/m3	OSHA P0
			STEL	30,000 ppm 54,000 mg/m3	OSHA P0

# **Biological occupational exposure limits**

Components	CAS-No.	Control parameters	Biological specimen	Sam- pling time	Permissible concentra- tion	Basis
Acetone	67-64-1	Acetone	Urine	End of shift (As soon as possible after exposure ceases)	25 mg/l	ACGIH BEI
Toluene	108-88-3	Toluene	In blood	Prior to last shift of work- week	0.02 mg/l	ACGIH BEI
		Toluene	Urine	End of shift (As soon as possible after exposure ceases)	0.03 mg/l	ACGIH BEI
		o-Cresol	Urine	End of shift (As soon as possible after exposure	0.3 mg/g Creatinine	ACGIH BEI



Vers 2.0	sion Revision Date 10/15/2019		DS Number: 00000001248	Date of last issue: - Date of first issue: 08	3/02/2017	
Į				ceases)		
	Engineering measur	es :	ventilation to main	mechanical (general a ntain exposure below o ow levels that cause k effects.	exposure guide	elines (if
	Personal protective	equipment	:			
	Respiratory protection	ı :	proved filter.	oour formation use a rest or aerosol formation		
	Hand protection					
	Remarks	:	er). The suitability cussed with the p	oves (consult your safe / for a specific workpla roducers of the protec tears, pinholes, or sign	ace should be c tive gloves. Dis	lis-
	Eye protection	:		blash goggles when th yes to liquid, vapor or		ntial for
	Skin and body protect	ion :		ng		
	Hygiene measures	:	Handle in accord practice. When using do no When using do no		rial hygiene and	d safety

# SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	aerosol
Colour	:	No data available
Odour	:	hydrocarbon-like
Odour Threshold	:	No data available
рН	:	No data available
Melting point/range	:	No data available
Boiling point/boiling range	:	56.11 - 110.56 °C
Flash point	:	-17.22 °C Method: closed cup



Vers 2.0	sion	Revision Date: 10/15/2019		S Number: 0000001248	Date of last issue: - Date of first issue: 08/02/2017
	Evapor	ation rate	:	No data available	9
	Self-ig	nition	:	No data available	
		explosion limit / Upper bility limit	:	13 %(V)	
		explosion limit / Lower bility limit	:	1.2 %(V)	
	Vapour	pressure	:	No data available	9
	Relative	e vapour density	:	No data available	9
	Density	,	:	No data available	9
	Solubili Wat	ty(ies) er solubility	:	slightly soluble	
	Partitio octanol	n coefficient: n- /water	:	No data available	9
	Auto-ig	nition temperature	:	No data available	9
	Decom	position temperature	:	No data available	9
	Viscosi Visc	ty cosity, kinematic	:	No data available	
	Molecu	lar weight	:	No data available	9
	VOC %	By Weight	:	44.9 %	

# SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No decomposition if stored and applied as directed.
Chemical stability	:	No decomposition if stored and applied as directed.
Possibility of hazardous reac- tions	:	No decomposition if stored and applied as directed. Vapours may form explosive mixture with air.
Conditions to avoid	:	Heat, flames and sparks.
		Heat, flames and sparks.
Incompatible materials	:	Strong oxidizing agents
Hazardous decomposition products	:	Carbon oxides
Hazardous decomposition products	:	



Version 2.0	Revision Date: 10/15/2019	SDS Number: 600000001248	Date of last issue: - Date of first issue: 08/02/2017			
SECTION	SECTION 11. TOXICOLOGICAL INFORMATION					
Infor	Information on likely routes of exposure					
Inhala	Inhalation					
Eye c	contact					
Skin	contact					

Skin contact Ingestion

#### Acute toxicity

Not classified based on available information.

#### Product:

Acute inhalation toxicity	:	Acute toxicity estimate: 98.85 mg/l
		Exposure time: 4 h
		Test atmosphere: vapour
		Method: Calculation method

#### **Components:**

Acetone:		
Acute oral toxicity	:	LD50 (Rat, female): 5,800 mg/kg
Acute inhalation toxicity	:	LC50 (Rat, female): 76 mg/l Exposure time: 4 h Test atmosphere: vapour
Acute dermal toxicity	:	LD50 (Rabbit): > 7,426 mg/kg
Toluene:		
Acute oral toxicity	:	LD50 (Rat): > 5,000 mg/kg
Acute inhalation toxicity	:	LC50 (Rat, males): 25.7 mg/l Exposure time: 4 h Test atmosphere: vapour
Acute dermal toxicity	:	LD50 (Rabbit): 12,124 mg/kg

## Skin corrosion/irritation

Causes skin irritation.

# **Product:** Remarks: May cause skin irritation and/or dermatitis.

## Components:

## Acetone:

Result: Possibly irritating to skin

Result: Repeated exposure may cause skin dryness or cracking.

## Toluene:



Version	Revision Date:	SDS Number:
2.0	10/15/2019	60000001248

Date of last issue: -Date of first issue: 08/02/2017

Result: Irritating to skin.

# Heptane, branched, cyclic and linear:

Result: Irritating to skin.

## Carbon dioxide:

Assessment: No skin irritation Result: No skin irritation

## Serious eye damage/eye irritation

Causes serious eye irritation.

#### Product:

Remarks: Vapours may cause irritation to the eyes, respiratory system and the skin.

#### Components:

#### Acetone:

Result: Irritating to eyes. Assessment: Irritating to eyes.

## Toluene:

Result: Irritating to eyes.

## Heptane, branched, cyclic and linear:

Result: Possibly irritating to eyes

## Carbon dioxide:

Result: No eye irritation

## Respiratory or skin sensitisation

## Skin sensitisation

Not classified based on available information.

## Respiratory sensitisation

Not classified based on available information.

## Components:

Heptane, branched, cyclic and linear: Result: Substance is not considered to be potential skin sensitiser.

## Germ cell mutagenicity

Not classified based on available information.

# Carcinogenicity

Not classified based on available information. IARC No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed



ersion 0	Revision Date: 10/15/2019	SDS Number: 60000001248	Date of last issue: - Date of first issue: 08/02/2017
		human carcinoger	h by IARC.
OSH	Α		this product present at levels greater than or n OSHA's list of regulated carcinogens.
NTP			this product present at levels greater than or dentified as a known or anticipated carcinoger
-	oductive toxicity ected of damaging the	e unborn child.	
<u>Com</u>	ponents:		
Tolue	ene:		
Repro sessr	oductive toxicity - As- nent	: Some evidence animal experim	e of adverse effects on development, based o ents.
	<b>Γ - single exposure</b> cause drowsiness or α	lizziness.	
<u>Com</u>	ponents:		
Targe	sure routes: Inhalation		
Tolue	ene:		
Targe	sure routes: Inhalation et Organs: Central ner ssment: May cause dr		
Hepta	ane, branched, cycli	c and linear:	
Targe	sure routes: Inhalation et Organs: Central ner ssment: May cause d		
STOT	Γ - repeated exposur	e	

May cause damage to organs (Neurologic: other (neuropsychological effects, auditory dysfunction and effects on color vision)) through prolonged or repeated exposure if inhaled.

## Components:

# Toluene:

Exposure routes: Inhalation Target Organs: Neurologic: other (neuropsychological effects, auditory dysfunction and effects on color vision) Assessment: May cause damage to organs through prolonged or repeated exposure.

# Aspiration toxicity

May be fatal if swallowed and enters airways.



Vers 2.0	sion	Revision Date: 10/15/2019	SDS Number: 600000001248	Date of last issue: - Date of first issue: 08/02/2017		
Components:						
	Acetone: May be harmful if swallowed and enters airways.					
	<b>Toluene:</b> May be fatal if swallowed and enters airways.					
	Heptane, branched, cyclic and linear: May be fatal if swallowed and enters airways.					
	Further information					
	<b>Product:</b> Remarks: Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vom- iting.					
SEC	SECTION 12. ECOLOGICAL INFORMATION					

#### Toxicity

An environmental hazard cannot be excluded in the event of
unprofessional handling or disposal.
Toxic to aquatic life with long lasting effects.
•

## SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods		
Waste from residues	:	Dispose of in accordance with all applicable local, state and federal regulations.
Contaminated packaging	:	Empty remaining contents. Dispose of as unused product. Do not re-use empty containers. Do not burn, or use a cutting torch on, the empty drum.

### **SECTION 14. TRANSPORT INFORMATION**

Dangerous goods descriptions (if indicated below) may not reflect quantity, end-use, or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

# International Regulations

IATA-DGR	
UN/ID No.	: UN 1950
Proper shipping name	: Aerosols, flammable
Class	: 2.1
Packing group	: Not assigned by regulation



Versio 2.0	on	Revision Date: 10/15/2019		0S Number: 0000001248	Date of last issue: - Date of first issue: 08/02/2017	
P ai P	ircraft) Packing	instruction (cargo instruction nger aircraft)	:	2.1 203 203		
U P C P Li E M	Class Packing abels EmS Co Iarine	nber shipping name g group ode pollutant	: : : : :	UN 1950 AEROSOLS 2.1 Not assigned by r 2.1 F-D, S-U no Annex II of MARP		
	Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable for product as supplied.					
Ν	National Regulations					
U P C	Proper	NA number shipping name	: :	UN 1950 Aerosols 2.1	ogulation	
L: E	abels RG Co	g group ode pollutant	:	Not assigned by r 2.1 126 no	egulation	

# SECTION 15. REGULATORY INFORMATION

# EPCRA - Emergency Planning and Community Right-to-Know Act

# CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
Acetone	67-64-1	100	100 (FÓ03)
Ethylbenzene	100-41-4	100	100 (F003)
Xylene	1330-20-7	100	100 (F003)
Toluene	108-88-3	100	100 (F005)
Benzene	71-43-2	10	10 (D018)
Toluene	108-88-3	1000	3846

## SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

## SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards	<ul> <li>Flammable (gases, aerosols, liquids, or solids) Skin corrosion or irritation Serious eye damage or eye irritation Reproductive toxicity</li> </ul>
	Specific target organ toxicity (single or repeated exposure)




Version 2.0	Revision Date: 10/15/2019	SDS Number: 60000000124		)2/2017	
		Aspiration	hazard		
SARA 313			The following components are subject to reporting levels es- ablished by SARA Title III, Section 313:		
		Toluene	108-88-3	>= 20 - < 30 %	

# California Prop. 65

WARNING: This product can expose you to chemicals including Benzene, Ethylbenzene, which is/are known to the State of California to cause cancer, and Toluene, Benzene, n-Hexane, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

# SECTION 16. OTHER INFORMATION



## Revision Date : 10/15/2019

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN