

Section 1: IDENTIFICATION

1.1 PRODUCT IDENTIFIER

Product Name: Lubegard® Fuel System Booster

Product Code: 77012

1.2 RECOMMENDED USE OF CHEMICAL AND RESTRICTIONS ON USE

Use: Additive.

1.3 DETAILS OF THE SUPPLIER OF THE SAFETY DATA SHEET

Name/Address: International Lubricants, Inc.

P.O. Box 24743, Seattle WA

98124-0743, USA

Telephone Number: (206) 762-5343

(800) 333-LUBE (5823)

1.4 EMERGENCY TELEPHONE NUMBER

Emergency Telephone CHEM TEL (800) 255-3924 **Number:** CHEM TEL (813) 248-0585

Section 2: HAZARD(S) IDENTIFICATION

2.1 CLASSIFICATION OF THE CHEMICAL ACCORDING TO OSHA HAZCOM 2012

Hazard class

Flammable liquid 4
Acute toxicity 4 - oral
Skin corrosion 1B
Serious eye damage 1
Aspiration toxicity 1

2.2 LABEL ELEMENTS ACCORDING TO OSHA HAZCOM 2012

Hazard Pictogram:







Signal Word: Danger

Hazard Statement: Combustible liquid. Harmful if swallowed. Causes severe skin burns

and eye damage. May be fatal if swallowed and enters airways.

Prevention: Keep away from flames and hot surfaces. – No smoking. Do not eat,

drink or smoke when using this product. Do not breathe dust/fume/gas/mist/vapours/spray. Wash hands thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection.

Response: If on skin (or hair): Take off immediately all contaminated clothing. Rinse

skin with water/shower. Wash contaminated clothing before reuse. Immediately call a poison center/doctor. If inhaled: Remove person to fresh air and keep comfortable for breathing. Immediately call a poison center/doctor. If in eyes: Rinse cautiously with water for several minutes.

Trade Name: Lubegard® Fuel System Booster
Page 1 of 10





Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. If swallowed: Immediately call a poison center/doctor. Do NOT induce vomiting. Rinse mouth.

Storage: Store in a well-ventilated place. Keep cool. Store locked up.

Disposal: Dispose of contents and container in accordance with all local,

regional, national and international regulations.

2.3 ADDITIONAL INFORMATION

Hazards not otherwise classified: Not applicable.

8 % of the mixture consists of ingredient(s) of unknown acute toxicity.

WHMIS Classification(s):

Class B3 - Combustible Liquid Class E - Corrosive Material

WHMIS Hazard Symbols:





WHMIS Signal Word: DANGER

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 MIXTURES

Ingredient	CAS No	Wt. %
Distillates (petroleum), hydrotreated light	64742-47-8	60 - 100
Oxirane, methyl-, polymer with oxirane, 2-aminopropyl methyl ether	83713-01-3	7 - 13
Alcohols, C12-15, ethoxylated propoxylated	68551-13-3	1 - 5
Solvent naphtha (petroleum), heavy aromatic	64742-94-5	0.5 - 1.5

The exact percentage (concentration) of composition has been withheld as a trade secret in accordance with paragraph (i) of §1910.1200.

Section 4: FIRST- AID MEASURES

4.1 DESCRIPTION OF THE FIRST AID MEASURE

Eye: In case of contact, immediately flush eyes with plenty of water for at

least 15 minutes. If easy to do, remove contact lenses, if worn. Get

medical attention immediately.

Skin: In case of contact, immediately flush skin with plenty of water.

Remove contaminated clothing and shoes. Wash clothing before

reuse. Get medical attention immediately.

Inhalation: If inhaled, remove victim to fresh air and keep at rest in a position

comfortable for breathing. Get medical attention immediately.

Ingestion: Do NOT induce vomiting. Never give anything by mouth to an

unconscious person. Rinse mouth. Get medical attention immediately.

Trade Name: Lubegard® Fuel System Booster
Page 2 of 10





4.2 MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED

Eye: Causes severe eye damage. Symptoms may include discomfort or

pain, excess blinking and tear production, with marked redness and

swelling of the conjunctiva. May cause burns.

Skin: Causes severe skin burns. Symptoms may include irritation,

redness, pain, blisters, serious skin burns.

Inhalation: Irritating to respiratory tract.

Ingestion: Harmful if swallowed. May be fatal if swallowed and enters airways.

This product may be aspirated into the lungs and cause chemical pneumonitis. May cause stomach distress, nausea or vomiting. May

cause burns.

4.3 INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENTS NEEDED

Note to Physicians: Symptoms may not appear immediately.

Specific Treatments: In case of accident or if you feel unwell, seek medical advice

immediately (show the label or SDS where possible).

Section 5: FIRE-FIGHTING MEASURES

5.1 FLAMMABILITY

Flammability: Combustible by WHMIS/OSHA criteria.

5.2 EXTINGUISHING MEDIA

Suitable Extinguishing Media: Powder, water spray, foam, carbon dioxide.

Unsuitable Extinguishing Media: Do not use a direct stream of water.

5.3 SPECIAL HAZARDS ARISING FROM THE CHEMICAL

Products of Combustion: May include, and are not limited to: oxides of carbon.

Explosion Data:

Sensitivity to Mechanical Impact: Not available. Sensitivity to Static Discharge: Not available.

5.4 SPECIAL PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIRE FIGHTERS

Use water spray to keep fire-exposed containers cool. Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory protection (SCBA).

Section 6: ACCIDENTAL RELEASE MEASURES

6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel. Eliminate sources of ignition.

6.2 METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING - UP

Methods for Containment: Contain and/or absorb spill with inert material (e.g. sand, vermiculite),

then place in a suitable container. Do not flush to sewer or allow to enter waterways. Use appropriate Personal Protective Equipment (PPE).

Methods for Cleaning-Up: Scoop up material and place in a disposal container. Provide ventilation.

Trade Name: Lubegard® Fuel System Booster Page 3 of 10





Section 7: HANDLING AND STORAGE

7.1 PRECAUTIONS FOR SAFE HANDLING

Handling: Keep away from flames and hot surfaces. – No smoking. Do not get

in eyes, on skin, or on clothing. Do not swallow. Do not breathe dust/fume/gas/fumes/ vapor/spray. Use only in well-ventilated areas.

When using do not eat or drink. (See section 8)

General Hygiene Advice: Launder contaminated clothing before reuse. Wash hands before

eating, drinking, or smoking.

7.2 CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES

Storage: Keep out of the reach of children. Keep container tightly closed. Do

not store at temperatures above 49 °C / 120 °F. Store in a well-

ventilated place. Keep cool. (See section 10)

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 CONTROL PARAMETERS

Exposure Guidelines

Occupational Exposure Limits			
Ingredient	OSHA-PEL	ACGIH-TLV	
Distillates (petroleum), hydrotreated light	Not available.	Not available.	
Oxirane, methyl-, polymer with oxirane, 2-aminopropyl methyl ether	Not available.	Not available.	
Alcohols, C12-15, ethoxylated propoxylated	Not available.	Not available.	
Solvent naphtha (petroleum), heavy aromatic	Not available.	Not available.	

8.2 EXPOSURE CONTROLS

Engineering Controls: Use ventilation adequate to keep exposures (airborne levels of dust,

fume, vapour, etc.) below recommended exposure limits.

8.3 INDIVIDUAL PROTECTIVE MEASURES

Personal Protective Equipment:

Eye/Face Protection: Wear approved eye protection (properly fitted dust- or splash-proof

chemical safety goggles) and face protection (face shield).

Skin Protection:

Hand Protection: Wear chemically resistant protective gloves.

Body Protection: Wear suitable protective clothing.

Respiratory Protection: In case of insufficient ventilation, wear suitable respiratory equipment.

Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the

selected respirator.

General Health and Safety

Handle according to established industrial hygiene and safety

Measures: practices.

practices.



Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Not available.

Color: Not available.

Odor: Not available.

Odor Threshold: Not available.

Physical State: Liquid.

pH: Not available. **Melting Point/Freezing Point:** Not available. **Initial Boiling Point and Boiling Range:** Not available. Flash Point (COC): 88.9°C (192 °F) **Evaporation Rate:** Not available. Flammability: Combustible. **Lower Flammability/Explosive Limit:** Not available. Not available. **Upper Flammability/Explosive Limit: Vapor Pressure:** Not available. Vapor Density: Not available. Relative Density/Specific Gravity: Not available. Solubility: Not available. Partition coefficient: n-octanol/water: Not available.

Viscosity: 3.4 cSt @ 40 °C (104 °F)

Explosive Properties: Not available.

Oxidizing Properties: Not available.

Section 10: STABILITY AND REACTIVITY

Not available.

Not available.

10.1 REACTIVITY

No dangerous reaction known under conditions of normal use.

10.2 CHEMICAL STABILITY

Auto-ignition Temperature:

Decomposition Temperature:

Stable under normal storage conditions. Keep in a cool place.

10.3 POSSIBILITY OF HAZARDOUS REACTIONS

No dangerous reaction known under conditions of normal use.

10.4 CONDITIONS TO AVOID

Heat. Incompatible materials.





10.5 INCOMPATIBLE MATERIALS

Oxidizers.

10.6 HAZARDOUS DECOMPOSITION PRODUCTS

May include, and are not limited to: oxides of carbon.

Section 11: TOXICOLOGICAL INFORMATION

11.1 INFORMATION ON TOXICOLOGICAL EFFECTS

Likely Routes of Exposure: Skin contact, eye contact, inhalation, and ingestion.

Symptoms related to physical/chemical/toxicological characteristics:

Eye: Causes severe eye damage. Symptoms may include discomfort or pain, excess blinking and tear production, with marked redness and swelling of

the conjunctiva. May cause burns.

Skin: Causes severe skin burns. Symptoms may include irritation, redness,

pain, blisters, serious skin burns.

Ingestion: Harmful if swallowed. May be fatal if swallowed and enters airways. This

product may be aspirated into the lungs and cause chemical pneumonitis. May cause stomach distress, nausea or vomiting. May cause burns.

Inhalation: Irritating to respiratory tract.

Acute Toxicity:

Ingredient	LC50	LD50
	Inhalation	Oral >5000 mg/kg, rat
Distillates (petroleum), hydrotreated light	>5.2 mg/L 4h, rat	Dermal >2000 mg/kg, rabbit
Oxirane, methyl-, polymer with oxirane, 2-amino		Oral 300 mg/kg, rat
propyl methyl ether	Not available.	Dermal 2230 mg/kg, rabbit
Alcohols, C12-15, ethoxylated propoxylated	Not available.	Not available.
		Oral >5000 mg/kg, rat
Solvent naphtha (petroleum), heavy aromatic	Not available.	Dermal >2000 mg/kg, rabbit

Calculated overall Chemical Acute Toxicity Values			
LC50 (inhalation)	LD50 (oral)	LD50 (dermal)	
Not available.	>300 but ≤2000 mg/kg, rat	>2000 mg/kg, rabbit	

Ingredient	Chemical Listed as Carcinogen or Potential Carcinogen (NTP, IARC, OSHA, ACGIH, CP65)*
Distillates (petroleum), hydrotreated light	Not listed.
Oxirane, methyl-, polymer with oxirane, 2-aminopropyl methyl ether	Not listed.
Alcohols, C12-15, ethoxylated propoxylated	Not listed.
Solvent naphtha (petroleum), heavy aromatic	Not listed.

^{*} See Section 15 for more information.

11.2 DELAYED, IMMEDIATE, AND CHRONIC EFFECTS OF SHORT- AND LONG-TERM EXPOSURE

Skin Corrosion/Irritation: Causes severe skin burns.

Serious Eye Damage/Irritation: Causes serious eye damage.

Trade Name: Lubegard® Fuel System Booster Page 6 of 10





Respiratory Sensitization:

Skin Sensitization:

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

STOT-Single Exposure:

Based on available data, the classification criteria are not met.

Chronic Health Effects:

Carcinogenicity: Based on available data, the classification criteria are not met.

Germ Cell Mutagenicity: Based on available data, the classification criteria are not met.

Reproductive Toxicity:

Developmental: Based on available data, the classification criteria are not met.
 Teratogenicity: Based on available data, the classification criteria are not met.
 Embryotoxicity: Based on available data, the classification criteria are not met.

Fertility: Based on available data, the classification criteria are not met.

STOT-Repeated Exposure: Based on available data, the classification criteria are not met.

Aspiration Hazard: May be fatal if swallowed and enters airways.

Toxicologically Synergistic Materials: Not available.

Other Information: Not available.

Section 12: ECOLOGICAL INFORMATION

12.1 ECOTOXICITY

Acute/Chronic Toxicity: May cause long-term adverse effects in the aquatic environment.

12.2 PERSISTENCE AND DEGRADABILITY

Not available.

12.3 BIOACCUMULATIVE POTENTIAL

Bioaccumulation: Not available.

12.4 MOBILITY IN SOIL

Not available.

12.5 OTHER ADVERSE EFFECTS

Not available.

Section 13: DISPOSAL CONSIDERATIONS

13.1 WASTE TREATMENT METHODS

Disposal Method: This material must be disposed of in accordance with all

local, state, provincial, and federal regulations.

Other disposal recommendations: Not available.

Trade Name: Lubegard® Fuel System Booster Page 7 of 10





Section 14: TRANSPORT INFORMATION

14.1 UN NUMBER

DOT TDG

UN1760 UN1760

14.2 UN PROPER SHIPPING NAME

DOT TDG

CORROSIVE LIQUID, N.O.S. (Oxirane, methyl-, polymer with oxirane, 2-aminopropyl methyl ether)

CORROSIVE LIQUID, N.O.S. (Oxirane, methyl-, polymer with oxirane, 2-aminopropyl methyl ether)

14.3 TRANSPORT HAZARD CLASS (ES)

DOT TDG

8 8

14.4 PACKING GROUP

DOT TDG

II II

14.5 ENVIRONMENTAL HAZARDS

Not available.

14.6 TRANSPORT IN BULK ACCORDING TO ANNEX II OF MARPOL 73/78 AND THE IBC CODE

Not available.

14.7 SPECIAL PRECAUTIONS FOR USER

Do not handle until all safety precautions have been read and understood.

Section 15: REGULATORY INFORMATION

15.1 SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS/ LEGISLATIONS SPECIFIC FOR THE CHEMICAL

Canada: This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations.

US: SDS prepared pursuant to the Hazard Communication Standard (CFR29 1910.1200) HazCom 2012

SARA Title III				
Ingredient	Section 302 (EHS) TPQ (lbs.)	Section 304 EHS RQ (lbs.)	CERCLA RQ (lbs.)	Section 313
Distillates (petroleum), hydrotreated light	Not listed.	Not listed.	Not listed.	Not listed.
Oxirane, methyl-, polymer with oxirane,				
2-aminopropyl methyl ether	Not listed.	Not listed.	Not listed.	Not listed.
Alcohols, C12-15, ethoxylated				
propoxylated	Not listed.	Not listed.	Not listed.	Not listed.
Solvent naphtha (petroleum), heavy				
aromatic	Not listed.	Not listed.	Not listed.	Not listed.



State Regulations

California Proposition 65:

This product does not contain a chemical known to the State of California to cause cancer, birth defects or other reproductive harm.

Global Inventories:

Ingredient	Canada DSL/NDSL	USA TSCA
Distillates (petroleum), hydrotreated light	DSL	Yes.
Oxirane, methyl-, polymer with oxirane, 2-aminopropyl methyl ether	DSL	Yes.
Alcohols, C12-15, ethoxylated propoxylated	DSL	Yes.
Solvent naphtha (petroleum), heavy aromatic	DSL	Yes.

NFPA National Fire Protection Association:		
Health:	3	
Fire:	2	
Reactivity:	0	

HMIS-Hazardous Materials Identification System			
Health: 3			
Fire:	2		
Physical Hazard: 0			

Hazard Rating: 0 = minimal, 1 = slight, 2 = moderate, 3 = severe, 4 = extreme

SOURCE AGENCY CARCINOGEN CLASSIFICATIONS:

CP65 California Proposition 65

OSHA (O) Occupational Safety and Health Administration.

ACGIH (G) American Conference of Governmental Industrial Hygienists.

A1 - Confirmed human carcinogen.

A2 - Suspected human carcinogen.

A3 - Animal carcinogen.

A4 - Not classifiable as a human carcinogen.

A5 - Not suspected as a human carcinogen.

IARC (I) International Agency for Research on Cancer.

1 - The agent (mixture) is carcinogenic to humans.

2A - The agent (mixture) is probably carcinogenic to humans; there is limited evidence of carcinogenicity in humans and sufficient evidence of carcinogenicity in experimental animals.

2B - The agent (mixture) is possibly carcinogenic to humans; there is limited evidence of carcinogenicity in humans in the absence of sufficient evidence of carcinogenicity in experimental animals.

3 - The agent (mixture, exposure circumstance) is not classifiable as to its carcinogenicity to humans.

4 - The agent (mixture, exposure circumstance) is probably not carcinogenic to humans.

NTP (N) National Toxicology Program.

1 - Known to be carcinogens.

2 - Reasonably anticipated to be carcinogens.

Section 16: OTHER INFORMATION

Date of Preparation: May 8, 2015 Expiry Date: June 1, 2018

> Trade Name: Lubegard® Fuel System Booster Page 9 of 10





Version: 1.0

Revision Date: July 20, 2017

Disclaimer: We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.

Prepared by: Nexreg Compliance Inc.

Phone: (519) 488-5126

www.nexreg.com

Prepared for: International Lubricants, Inc.

End of Safety Data Sheet

Trade Name: Lubegard® Fuel System Booster Page 10 of 10

