

KOOL-IT

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 05/12/2015

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Product name : KOOL-IT Supreme Coolant Treatment
Product code : 96001, 96808, 96110, 96050, 96055, 96330

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Supplemental Coolant Additive

1.3. Details of the supplier of the safety data sheet

International Lubricants
7930 Occidental S.
Seattle, WA 98108 - US
T 206-762-5343
www.lubegard.com

1.4. Emergency telephone number

Emergency number : 1-800-255-3924 / 1-813-248-0585
ChemTel

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GHS-US classification

Acute Tox. 4 (Oral) H302
Skin Corr. 1A H314
Eye Irrit. 2A H319
Repr. 1B H360
Aquatic Acute 2 H401

Full text of H-phrases: see section 16

2.2. Label elements

GHS-US labelling

Hazard pictograms (GHS-US)



Signal word (GHS-US)

: Danger

Hazard statements (GHS-US)

: H302 - Harmful if swallowed
H314 - Causes severe skin burns and eye damage
H319 - Causes serious eye irritation
H360 - May damage fertility or the unborn child
H401 - Toxic to aquatic life

Precautionary statements (GHS-US)

: P201 - Obtain special instructions before use
P202 - Do not handle until all safety precautions have been read and understood
P260 - Do not breathe dust/fume/gas/mist/vapours/spray
P264 - Wash hands, forearms and face thoroughly after handling
P270 - Do not eat, drink or smoke when using this product
P273 - Avoid release to the environment
P280 - Wear protective gloves/protective clothing/eye protection/face protection
P301+P312 - If swallowed: Call a poison center/doctor if you feel unwell
P301+P330+P331 - If swallowed: rinse mouth. Do NOT induce vomiting
P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower
P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing
P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
P308+P313 - If exposed or concerned: Get medical advice/attention
P310 - Immediately call a poison center/doctor

KOOL-IT

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P321 - Specific treatment (see First aid measures on this label)
P330 - Rinse mouth
P337+P313 - If eye irritation persists: Get medical advice/attention
P363 - Wash contaminated clothing before reuse
P405 - Store locked up
P501 - Dispose in a safe manner in accordance with local/national regulations

2.3. Other hazards

No additional information available

2.4. Unknown acute toxicity (GHS-US)

Not applicable

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

3.2. Mixture

Name	Product identifier	%	GHS-US classification
Sodium Nitrite	(CAS No) 7632-00-0	5 - 10	Ox. Sol. 3, H272 Acute Tox. 3 (Oral), H301 Aquatic Acute 1, H400
Disodium Tetraborate, Anhydrous	(CAS No) 1330-43-4	1 - 5	Repr. 1B, H360 Aquatic Acute 3, H402
Disodium Trioxosilicate	(CAS No) 6834-92-0	1 - 5	Acute Tox. 4 (Oral), H302 Skin Corr. 1B, H314 STOT SE 3, H335
Sodium Nitrate	(CAS No) 7631-99-4	1 - 5	Ox. Sol. 3, H272 Acute Tox. 4 (Oral), H302 Eye Irrit. 2A, H319
Sodium Mercaptobenzothiazole	(CAS No) 2492-26-4	1 - 5	Acute Tox. 4 (Oral), H302 Aquatic Acute 1, H400
Sodium Tolytriazole	(CAS No) 64665-57-2	1 - 5	Acute Tox. 4 (Oral), H302 Skin Corr. 1C, H314 Eye Dam. 1, H318 STOT SE 3, H335

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. IF exposed or concerned: Get medical advice/attention.

First-aid measures after inhalation : Assure fresh air breathing. Allow the victim to rest.

First-aid measures after skin contact : Wash with plenty of soap and water. Wash contaminated clothing before reuse. If skin irritation occurs: Get medical advice/attention. Specific treatment (see First aid measures on this label).

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. Call a POISON CENTER/doctor/physician if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries : May damage fertility or the unborn child.

Symptoms/injuries after skin contact : Causes skin irritation.

Symptoms/injuries after eye contact : Causes serious eye irritation.

Symptoms/injuries after ingestion : Swallowing a small quantity of this material will result in serious health hazard.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

No additional information available

KOOL-IT

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

5.3. Advice for firefighters

- Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment.
- Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

- Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

- Protective equipment : Equip cleanup crew with proper protection.
- Emergency procedures : Ventilate area.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters. Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

- Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

- Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Do not handle until all safety precautions have been read and understood. Obtain special instructions before use.
- Hygiene measures : Do not eat, drink or smoke when using this product. Wash hands, forearms and face thoroughly after handling.

7.2. Conditions for safe storage, including any incompatibilities

- Storage conditions : Keep only in the original container in a cool, well-ventilated place. Keep container closed when not in use.
- Incompatible products : Strong bases. Strong acids.
- Incompatible materials : Sources of ignition. Direct sunlight.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

KOOL-IT	
ACGIH	Not applicable
OSHA	Not applicable
Sodium Tolytriazole (64665-57-2)	
ACGIH	Not applicable
OSHA	Not applicable
Sodium Mercaptobenzothiazole (2492-26-4)	
ACGIH	Not applicable
OSHA	Not applicable
Sodium Nitrate (7631-99-4)	
ACGIH	Not applicable
OSHA	Not applicable

KOOL-IT

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Disodium Trioxosilicate (6834-92-0)	
ACGIH	Not applicable
OSHA	Not applicable

Disodium Tetraborate, Anhydrous (1330-43-4)		
ACGIH	ACGIH TWA (mg/m ³)	2 mg/m ³
ACGIH	ACGIH STEL (mg/m ³)	6 mg/m ³
OSHA	Not applicable	

Sodium Nitrite (7632-00-0)	
ACGIH	Not applicable
OSHA	Not applicable

8.2. Exposure controls

Personal protective equipment	: Avoid all unnecessary exposure.
Hand protection	: Wear protective gloves/protective clothing/eye protection/face protection protective gloves.
Eye protection	: Chemical goggles or safety glasses.
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	: Wear appropriate mask.
Other information	: Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: dark red
Odour	: No data available
Odour threshold	: No data available
pH	: 11.73
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Density	: 1.04
Solubility	: Water: 100 %
Log Pow	: No data available
Log Kow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

9.2. Other information

No additional information available

KOOL-IT

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Not established.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

Fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Oral: Harmful if swallowed.

KOOL-IT	
ATE US (oral)	1297.497 mg/kg bodyweight

Sodium Tolytriazole (64665-57-2)	
ATE US (oral)	500.000 mg/kg bodyweight

Sodium Mercaptobenzothiazole (2492-26-4)	
LD50 oral rat	750 mg/kg
LD50 dermal rabbit	> 1250 mg/kg
ATE US (oral)	750.000 mg/kg bodyweight

Sodium Nitrate (7631-99-4)	
LD50 oral rat	1267 mg/kg
ATE US (oral)	1267.000 mg/kg bodyweight

Disodium Trioxosilicate (6834-92-0)	
LD50 oral rat	600 mg/kg
ATE US (oral)	600.000 mg/kg bodyweight

Disodium Tetraborate, Anhydrous (1330-43-4)	
LD50 oral rat	2660 mg/kg
LD50 dermal rabbit	> 2000 mg/kg
ATE US (oral)	2660.000 mg/kg bodyweight

Sodium Nitrite (7632-00-0)	
LD50 oral rat	85 mg/kg
LC50 inhalation rat (mg/l)	5.5 mg/l/4h
ATE US (oral)	85.000 mg/kg bodyweight
ATE US (vapours)	5.500 mg/l/4h
ATE US (dust,mist)	5.500 mg/l/4h

Skin corrosion/irritation : Causes severe skin burns and eye damage.
pH: 11.73

Serious eye damage/irritation : Causes serious eye irritation.
pH: 11.73

Respiratory or skin sensitisation : Not classified

Germ cell mutagenicity : Not classified

Carcinogenicity : Not classified

KOOL-IT

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Reproductive toxicity : May damage fertility or the unborn child.
Specific target organ toxicity (single exposure) : Not classified

Specific target organ toxicity (repeated exposure) : Not classified

Aspiration hazard : Not classified
Potential adverse human health effects and symptoms : Based on available data, the classification criteria are not met. Harmful if swallowed.
Symptoms/injuries after skin contact : Causes skin irritation.
Symptoms/injuries after eye contact : Causes serious eye irritation.
Symptoms/injuries after ingestion : Swallowing a small quantity of this material will result in serious health hazard.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - water : Toxic to aquatic life.

Sodium Mercaptobenzothiazole (2492-26-4)

LC50 fishes 1	0.3 - 1.1 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])
EC50 Daphnia 1	1.9 - 5.1 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])
EC50 other aquatic organisms 1	0.3 mg/l (Exposure time: 96 h - Species: Pseudokirchneriella subcapitata)
LC50 fish 2	3.8 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])

Sodium Nitrate (7631-99-4)

LC50 fishes 1	2000 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])
LC50 fish 2	994.4 - 1107 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])

Disodium Trioxosilicate (6834-92-0)

LC50 fishes 1	210 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [semi-static])
LC50 fish 2	210 mg/l (Exposure time: 96 h - Species: Brachydanio rerio)

Disodium Tetraborate, Anhydrous (1330-43-4)

LC50 fishes 1	340 mg/l (Exposure time: 96 h - Species: Limanda limanda)
EC50 Daphnia 1	1085 - 1402 mg/l (Exposure time: 48 h - Species: Daphnia magna)
EC50 other aquatic organisms 1	158 mg/l (Exposure time: 96 h - Species: Desmodesmus subspicatus)
EC50 other aquatic organisms 2	2.6 - 21.8 mg/l (Exposure time: 96 h - Species: Pseudokirchneriella subcapitata [static])

Sodium Nitrite (7632-00-0)

LC50 fishes 1	0.19 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [flow-through])
LC50 fish 2	0.092 - 0.13 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [flow-through])

12.2. Persistence and degradability

KOOL-IT

Persistence and degradability	Not established.
-------------------------------	------------------

12.3. Bioaccumulative potential

KOOL-IT

Bioaccumulative potential	Not established.
---------------------------	------------------

Sodium Mercaptobenzothiazole (2492-26-4)

Log Pow	-0.46
---------	-------

Sodium Nitrate (7631-99-4)

Log Pow	-3.8 (at 25 °C)
---------	-----------------

KOOL-IT

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Disodium Tetraborate, Anhydrous (1330-43-4)

BCF fish 1 (no evidence of bioaccumulation)

Sodium Nitrite (7632-00-0)

Log Pow -3.7 (at 25 °C)

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

Effect on the global warming : No known ecological damage caused by this product.

Other information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. Dispose in a safe manner in accordance with local/national regulations.

Ecology - waste materials : Avoid release to the environment.

SECTION 14: Transport information

UN-No.(DOT) : UN1719

UN-No. (IMDG) : UN1719

UN-No.(IATA) : 1719

14.2. UN proper shipping name

Proper Shipping Name (DOT) : Caustic alkali liquids, n.o.s.

(Disodium Trioxosilicate, Sodium Mercaptobenzothiazole)

RQ of 1700 lb due to Sodium Nitrite

Proper Shipping Name (IMDG) : Caustic Alkali Liquids, N.O.S.

(Disodium Trioxosilicate, Sodium Mercaptobenzothiazole)

Proper Shipping Name (IATA) : CAUSTIC ALKALI LIQUID, N.O.S.

(Disodium Trioxosilicate, Sodium Mercaptobenzothiazole)

14.3. Transport hazard class(es)

Department of Transportation (DOT) Hazard Classes : 8 - Corrosive

Hazard labels (DOT) : 8



Transport hazard class(es) (IMDG) : 8

Danger labels (IMDG) : 8

KOOL-IT

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations



Transport hazard class(es) (IATA) : 8

Hazard labels (IATA) : 8



:

14.4. Packing group

Packing group (DOT) : II

Packing group (IMDG) : II

Packing group (IATA) : II

14.5. Environmental hazards

Marine pollutant(DOT) : No

Marine pollutant(IMDG) : No

Marine pollutant(IATA) : No

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

Chemical(s) subject to the reporting requirements of Section 313 or Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR Part 372.

Sodium Nitrite	CAS No 7632-00-0	5 - 10
----------------	------------------	--------

Methyl alcohol (67-56-1)

Listed on United States SARA Section 313

SARA Section 313 - Emission Reporting	1.0 %
---------------------------------------	-------

Phenolphthalein (77-09-8)

Listed on United States SARA Section 313

SARA Section 313 - Emission Reporting	0.1 %
---------------------------------------	-------

Sodium Nitrite (7632-00-0)

Listed on United States SARA Section 313

EPA TSCA Regulatory Flag	S - S - indicates a substance that is identified in a proposed or final Significant New Uses Rule.
--------------------------	--

SARA Section 313 - Emission Reporting	1.0 %
---------------------------------------	-------

15.2. International regulations

CANADA

KOOL-IT

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Sodium Tolytriazole (64665-57-2)	
Listed on the Canadian DSL (Domestic Substances List)	
Sodium Mercaptobenzothiazole (2492-26-4)	
Listed on the Canadian DSL (Domestic Substances List)	
Sodium Nitrate (7631-99-4)	
Listed on the Canadian DSL (Domestic Substances List)	
WHMIS Classification	Class C - Oxidizing Material Class D Division 2 Subdivision B - Toxic material causing other toxic effects
Disodium Trioxosilicate (6834-92-0)	
Listed on the Canadian DSL (Domestic Substances List)	
WHMIS Classification	Class E - Corrosive Material
Disodium tetraborate, anhydrous (1330-43-4)	
Listed on the Canadian DSL (Domestic Substances List)	
Sodium Nitrite (7632-00-0)	
Listed on the Canadian DSL (Domestic Substances List)	

15.3. US State regulations

California Proposition 65 - This product contains, or may contain, trace quantities of a substance(s) known to the state of California to cause cancer and/or reproductive toxicity

Methyl alcohol (67-56-1)				
U.S. - California - Proposition 65 - Carcinogens List	U.S. - California - Proposition 65 - Developmental Toxicity	U.S. - California - Proposition 65 - Reproductive Toxicity - Female	U.S. - California - Proposition 65 - Reproductive Toxicity - Male	No significance risk level (NSRL)
No	Yes	No	No	

Phenolphthalein (77-09-8)				
U.S. - California - Proposition 65 - Carcinogens List	U.S. - California - Proposition 65 - Developmental Toxicity	U.S. - California - Proposition 65 - Reproductive Toxicity - Female	U.S. - California - Proposition 65 - Reproductive Toxicity - Male	No significance risk level (NSRL)
Yes	No	No	No	

SECTION 16: Other information

Other information : None.

KOOL-IT

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Full text of H-phrases::

Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Acute 2	Hazardous to the aquatic environment — Acute Hazard, Category 2
Aquatic Acute 3	Hazardous to the aquatic environment — Acute Hazard, Category 3
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2A	Serious eye damage/eye irritation, Category 2A
Ox. Sol. 3	Oxidising Solids, Category 3
Repr. 1B	Reproductive toxicity, Category 1B
Skin Corr. 1A	Skin corrosion/irritation, Category 1A
Skin Corr. 1B	Skin corrosion/irritation, Category 1B
Skin Corr. 1C	Skin corrosion/irritation, Category 1C
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation
H272	May intensify fire; oxidiser
H301	Toxic if swallowed
H302	Harmful if swallowed
H314	Causes severe skin burns and eye damage
H318	Causes serious eye damage
H319	Causes serious eye irritation
H335	May cause respiratory irritation
H360	May damage fertility or the unborn child
H400	Very toxic to aquatic life
H401	Toxic to aquatic life
H402	Harmful to aquatic life

NFPA health hazard

: 2 - Intense or continued exposure could cause temporary incapacitation or possible residual injury unless prompt medical attention is given.

NFPA fire hazard


: 0 - Materials that will not burn.

NFPA reactivity

: 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.

NFPA specific hazard

: NA - Not Applicable



HMIS III Rating

Health

: 3 - Major injury likely unless prompt action is taken and medical treatment is given

Flammability

: 0

Physical

: 0

Personal Protection

: D

ILI SDS US

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.