

TRANSBRITE 9000 ALUMINUM SAFE LIQUID DETERGENT

Safety Data Sheet

Date of issue: 05/11/2015

Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Identification

Product form : Mixture
Product name : TRANSBRITE 9000 ALUMINUM SAFE LIQUID DETERGENT
Product code : TB9000

1.2. Relevant identified uses of the substance or mixture and uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Allen Woods & Associates
2515 Clearbrook Dr
Arlington Heights, IL 60005-4652 - USA
T 847-806-4000

1.4. Emergency telephone number

Emergency number : CHEMICAL EMERGENCY HOTLINE (800) 424-9300 CHEMTREC

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

Classification (GHS-US)

Skin Corr. 1A	H314 -	Causes severe skin burns and eye damage
Eye Dam. 1	H318 -	Causes serious eye damage

Full text of H-phrases: see section 16

2.2. Label elements

GHS-US labeling

Hazard pictograms (GHS-US) :



GHS05

Signal word (GHS-US) : Danger

Hazard statements (GHS-US) : H314 - Causes severe skin burns and eye damage

Precautionary statements (GHS-US) :

- P260 - Do not breathe dust, mist, spray
- P264 - Wash clothing, hands, forearms and face thoroughly after handling
- P280 - Wear eye protection, face protection, protective clothing, protective gloves
- P301+P330+P331 - If swallowed: rinse mouth. Do NOT induce vomiting
- P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower
- P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing
- P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- P310 - Immediately call a doctor, a POISON CENTER
- P321 - Specific treatment (see a doctor, a POISON CENTER on this label)
- P363 - Wash contaminated clothing before reuse
- P405 - Store locked up
- P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation

2.3. Other hazards

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

3.2. Mixture

TRANSBRITE 9000 ALUMINUM SAFE LIQUID DETERGENT

Safety Data Sheet

Name	Product identifier	%	Classification (GHS-US)
Potassium Carbonate	(CAS No) 584-08-7	10 - 20	Acute Tox. 4 (Oral), H302 Skin Corr. 1A, H314 Eye Dam. 1, H318
Sodium Silicate	(CAS No) 1344-09-8	3 - 5	Skin Irrit. 2, H315 Eye Irrit. 2A, H319
Octenylsuccinic Acid	(CAS No) 28805-58-5	1 - 3	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Skin Corr. 1A, H314 Eye Dam. 1, H318
Poly(acrylic acid sodium salt)	(CAS No) 9003-04-7	1 - 3	Eye Irrit. 2A, H319
Alcohols, C8-10, ethoxylated propoxylated	(CAS No) 68603-25-8	1 - 3	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318
Potassium Hydroxide	(CAS No) 1310-58-3	1 - 3	Acute Tox. 4 (Oral), H302 Skin Corr. 1A, H314 Eye Dam. 1, H318

Full text of H-phrases: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

- First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
- First-aid measures after inhalation : Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a poison center or doctor/physician.
- First-aid measures after skin contact : Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Immediately call a poison center or doctor/physician.
- First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center or doctor/physician.
- First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Immediately call a poison center or doctor/physician.

4.2. Most important symptoms and effects, both acute and delayed

- Symptoms/injuries : Causes severe skin burns and eye damage.
- Symptoms/injuries after eye contact : Causes serious eye damage.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

- Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.
- Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

- Reactivity : Thermal decomposition generates : Corrosive vapors.

5.3. Advice for firefighters

- Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment.
- Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

- Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

- Protective equipment : Equip cleanup crew with proper protection.
- Emergency procedures : Ventilate area.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

- Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

TRANSBRITE 9000 ALUMINUM SAFE LIQUID DETERGENT

Safety Data Sheet

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

- Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor. Do not breathe dust/fume/gas/mist/vapors/spray. Avoid contact during pregnancy/while nursing.
- Hygiene measures : Wash ... thoroughly after handling.

7.2. Conditions for safe storage, including any incompatibilities

- Technical measures : Comply with applicable regulations.
- Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Keep container closed when not in use.
- Incompatible products : Strong bases. Strong acids.
- Incompatible materials : Sources of ignition. Direct sunlight.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Potassium Hydroxide (1310-58-3)		
ACGIH	ACGIH Ceiling (mg/m³)	2 mg/m³
ACGIH	Remark (ACGIH)	URT, eye, & skin irr

8.2. Exposure controls

- Personal protective equipment : Avoid all unnecessary exposure.
- Hand protection : Wear protective gloves.
- Eye protection : Chemical goggles or face shield.
- Skin and body protection : Wear suitable protective clothing.
- Respiratory protection : Wear appropriate mask.
- Other information : Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

- Physical state : Liquid
- Color : light yellow
- Odor : characteristic
- Odor threshold : No data available
- pH : 12
- pH solution : 11.4 (10%)
- Melting point : No data available
- Freezing point : No data available
- Boiling point : No data available
- Flash point : No data available
- Relative evaporation rate (butyl acetate=1) : No data available
- Flammability (solid, gas) : No data available
- Explosion limits : No data available
- Explosive properties : No data available
- Oxidizing properties : No data available
- Vapor pressure : No data available
- Relative density : No data available
- Relative vapor density at 20 °C : No data available

TRANSBRITE 9000 ALUMINUM SAFE LIQUID DETERGENT

Safety Data Sheet

Specific gravity / density	: 1.26
Solubility	: Water: Solubility in water of component(s) of the mixture : •: 112 g/100ml •: 64 g/100ml •: 111 g/100ml •: 55 g/100ml •: Complete •: poorly soluble •: > 50 g/100ml (soluble)
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Thermal decomposition generates : Corrosive vapors.

10.2. Chemical stability

Not established.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide. Thermal decomposition generates : Corrosive vapors.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

Potassium Hydroxide (1310-58-3)	
LD50 oral rat	333 mg/kg (Rat; Equivalent or similar to OECD 425; Experimental value)
ATE US (oral)	333.000 mg/kg body weight
Potassium Carbonate (584-08-7)	
LD50 oral rat	1870 mg/kg (Rat; Equivalent or similar to OECD 401; Literature study; >2000 mg/kg bodyweight; Rat; Experimental value)
ATE US (oral)	1870.000 mg/kg body weight
Octenylsuccinic Acid (28805-58-5)	
LD50 oral rat	1190 mg/kg
LD50 dermal rabbit	1750 mg/kg
Sodium Silicate (1344-09-8)	
LD50 oral rat	> 2000 mg/kg (Rat)
Poly(acrylic acid sodium salt) (9003-04-7)	
LD50 oral rat	> 40000 mg/kg (Rat)

Skin corrosion/irritation	: Causes severe skin burns and eye damage. pH: 12
Serious eye damage/irritation	: Causes serious eye damage. pH: 12
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified

TRANSBRITE 9000 ALUMINUM SAFE LIQUID DETERGENT

Safety Data Sheet

Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: Not classified
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified
Potential Adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.
Symptoms/injuries after eye contact	: Causes serious eye damage.

SECTION 12: Ecological information

12.1. Toxicity

Potassium Hydroxide (1310-58-3)	
LC50 fish 2	80 mg/l (LC50; 96 h; Gambusia affinis; Static system; Fresh water)
Potassium Carbonate (584-08-7)	
LC50 fish 1	200 mg/l (LC50; 72 h; Pisces)
EC50 Daphnia 1	200 mg/l (EC50; FIFRA 72-1; 48 h; Daphnia pulex; Static system; Fresh water; Experimental value)
LC50 fish 2	68 mg/l (LC50; FIFRA 72-1; 96 h; Oncorhynchus mykiss; Flow-through system; Fresh water; Experimental value)
EC50 Daphnia 2	120 mg/l (NOEC; FIFRA 72-1; 48 h; Daphnia pulex; Static system; Fresh water; Experimental value)
Octenylsuccinic Acid (28805-58-5)	
EC50 Daphnia 1	22 mg/l
Sodium Silicate (1344-09-8)	
EC50 Daphnia 1	216 mg/l (EC50; 96 h)
LC50 fish 2	3185 mg/l (LC50; 96 h)
Poly(acrylic acid sodium salt) (9003-04-7)	
LC50 fish 1	> 100 mg/l (LC50; OECD 203: Fish, Acute Toxicity Test; 96 h; Oryzias latipes)
EC50 Daphnia 1	> 100 mg/l (EC50; OECD 202: Daphnia sp. Acute Immobilisation Test; 48 h; Daphnia magna)
Threshold limit algae 1	> 100 mg/l (EC50; OECD 201: Alga, Growth Inhibition Test; 72 h; Scenedesmus subspicatus)

12.2. Persistence and degradability

TRANSBRITE 9000 SPRAY DETERGENT	
Persistence and degradability	Not established.
Potassium Hydroxide (1310-58-3)	
Persistence and degradability	Biodegradability: not applicable.
Biochemical oxygen demand (BOD)	Not applicable
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable
Potassium Carbonate (584-08-7)	
Persistence and degradability	Biodegradability: not applicable. No (test)data on mobility of the substance available.
Biochemical oxygen demand (BOD)	Not applicable
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable
Octenylsuccinic Acid (28805-58-5)	
Persistence and degradability	Not established.
Sodium Silicate (1344-09-8)	
Persistence and degradability	Biodegradability: not applicable. No (test)data on mobility of the components available.

TRANSBRITE 9000 ALUMINUM SAFE LIQUID DETERGENT

Safety Data Sheet

Sodium Silicate (1344-09-8)

Biochemical oxygen demand (BOD)	Not applicable
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable

Poly(acrylic acid sodium salt) (9003-04-7)

Persistence and degradability	Not readily biodegradable in water.
-------------------------------	-------------------------------------

12.3. Bioaccumulative potential

TRANSBRITE 9000 SPRAY DETERGENT

Bioaccumulative potential	Not established.
---------------------------	------------------

Potassium Hydroxide (1310-58-3)

Bioaccumulative potential	Bioaccumulation: not applicable.
---------------------------	----------------------------------

Potassium Carbonate (584-08-7)

Bioaccumulative potential	Bioaccumulation: not applicable.
---------------------------	----------------------------------

Octenylsuccinic Acid (28805-58-5)

Bioaccumulative potential	Not established.
---------------------------	------------------

Sodium Silicate (1344-09-8)

Bioaccumulative potential	Bioaccumulation: not applicable.
---------------------------	----------------------------------

Poly(acrylic acid sodium salt) (9003-04-7)

Bioaccumulative potential	Low potential for bioaccumulation (molecular mass ≥ 700 g/mol).
---------------------------	--

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

Effect on the global warming : No known ecological damage caused by this product.

Other information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.
Ecology - waste materials : Avoid release to the environment.

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT

Not regulated for transport

TDG

No additional information available

Transport by sea

No additional information available

Air transport

No additional information available

TRANSBRITE 9000 ALUMINUM SAFE LIQUID DETERGENT

Safety Data Sheet

SECTION 15: Regulatory information

15.1. US Federal regulations

Potassium Hydroxide (1310-58-3)

Listed on the United States TSCA (Toxic Substances Control Act) inventory
Not subject to reporting requirements of the United States SARA Section 313

RQ (Reportable quantity, section 304 of EPA's List of Lists)	1000 lb
--	---------

Potassium Carbonate (584-08-7)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Octenylsuccinic Acid (28805-58-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Sodium Silicate (1344-09-8)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Poly(acrylic acid sodium salt) (9003-04-7)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Alcohols, C8-10, ethoxylated propoxylated (68603-25-8)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

15.2. International regulations

CANADA

No additional information available

EU-Regulations

No additional information available

National regulations

No additional information available

15.3. US State regulations

Potassium Hydroxide (1310-58-3)

U.S. - Massachusetts - Right To Know List
U.S. - New Jersey - Right to Know Hazardous Substance List
U.S. - Pennsylvania - RTK (Right to Know) List

SECTION 16: Other information

Other information : None.

Full text of H-phrases:

Acute Tox. 4 (Dermal)	Acute toxicity (dermal) Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4
Eye Dam. 1	Serious eye damage/eye irritation Category 1
Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
Skin Corr. 1A	Skin corrosion/irritation Category 1A
Skin Irrit. 2	Skin corrosion/irritation Category 2
H302	Harmful if swallowed
H312	Harmful in contact with skin
H314	Causes severe skin burns and eye damage
H315	Causes skin irritation
H318	Causes serious eye damage
H319	Causes serious eye irritation

TRANSBRITE 9000 ALUMINUM SAFE LIQUID DETERGENT

Safety Data Sheet

SDS US (GHS HazCom 2012)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product