Safety Data Sheet

Date of issue: 04/15/2015 Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Identification

: Mixture Product form

Product name : TRANSBRITE 7000 ALUMINUM SAFE POWDERED DETERGENT

: TB7000 Product code

Relevant identified uses of the substance or mixture and uses advised against

No additional information available

Details of the supplier of the safety data sheet

Allen Woods & Associates 2515 Clearbrook Dr

Arlington Heights, IL 60005-4652 - USA

T 847-806-4000

Emergency telephone number

: CHEMICAL EMERGENCY HOTLINE (800) 424-9300 CHEMTREC Emergency number

SECTION 2: Hazard(s) identification

Classification of the substance or mixture

Classification (GHS-US)

H314 -Skin Corr. 1A Causes severe skin burns and eye damage

Eye Dam. 1 H318 -Causes serious eye damage STOT SE 3 H335 -May cause respiratory irritation

Full text of H-phrases: see section 16

22 **Label elements**

GHS-US labeling

Hazard pictograms (GHS-US)



GHS07

Signal word (GHS-US) : Danger

Hazard statements (GHS-US) : H314 - Causes severe skin burns and eye damage

H335 - May cause respiratory irritation

Precautionary statements (GHS-US) P260 - Do not breathe dust

P261 - Avoid breathing dust

P264 - Wash hands, forearms and face, clothing thoroughly after handling

P271 - Use only outdoors or in a well-ventilated area

P280 - Wear eye protection, face protection, protective clothing, protective gloves

P301+P330+P331 - If swallowed: rinse mouth. Do NOT induce vomiting

P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse

skin with water/shower

P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing

P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing P310 - Immediately call a doctor, a POISON CENTER P312 - Call a doctor, a POISON CENTER if you feel unwell P321 - Specific treatment (see a doctor on this label) P363 - Wash contaminated clothing before reuse

P403+P233 - Store in a well-ventilated place. Keep container tightly closed

P405 - Store locked up

P501 - Dispose of contents/container to hazardous or special waste collection point, in

accordance with local, regional, national and/or international regulation

2.3. Other hazards

No additional information available

Unknown acute toxicity (GHS US)

Not applicable

09/17/2015 EN (English US) SDS ID: TB7000 Page 1

Safety Data Sheet

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

3.2. Mixture

Name	Product identifier	%	Classification (GHS-US)
Sodium Carbonate	(CAS No) 497-19-8	20 - 50	Skin Corr. 1A, H314 Eye Dam. 1, H318
Sodium Metasilicate	(CAS No) 6834-92-0	20 - 50	Skin Corr. 1A, H314 Eye Dam. 1, H318 STOT SE 3, H335
Oxirane, Methyl-, Polymer	(CAS No) 9003-11-6	5 - 10	Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Aquatic Acute 3, H402
Diethylene Glycol Mono-Butyl Ether	(CAS No) 112-34-5	1 - 3	Eye Irrit. 2A, H319

Full text of H-phrases: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical

advice (show the label where possible).

First-aid measures after inhalation : Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately

call a poison center or doctor/physician. Call a POISON CENTER or doctor/physician if you feel

unwell.

First-aid measures after skin contact : Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

Immediately call a poison center or doctor/physician.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing. Immediately call a poison center or doctor/physician.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Immediately call a poison center or doctor/physician.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries : Causes severe skin burns and eye damage.

Symptoms/injuries after inhalation : May cause respiratory irritation. Symptoms/injuries after eye contact : Causes serious eye damage.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Reactivity : Thermal decomposition generates : Corrosive vapors.

5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire-fighting water from entering environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Ventilate area.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

09/17/2015 EN (English US) SDS ID: TB7000 2/7

Safety Data Sheet

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : On land, sweep or shovel into suitable containers. Minimize generation of dust. Store away

from other materials.

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or

smoking and when leaving work. Provide good ventilation in process area to prevent formation

of vapor. Do not breathe dust/fume/gas/mist/vapors/spray. Avoid contact during

pregnancy/while nursing. Avoid breathing dust/fume/gas/mist/vapors/spray. Use only outdoors

or in a well-ventilated area.

Hygiene measures : Wash ... thoroughly after handling.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Comply with applicable regulations.

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Keep container

tightly closed.

Incompatible products : Strong bases. Strong acids.

Incompatible materials : Sources of ignition. Direct sunlight.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Diethylene Glycol Mono-Butyl Ether (112-34-5)		
ACGIH	ACGIH TWA (ppm)	10 ppm

8.2. Exposure controls

Explosive properties

Oxidizing properties

Vapor pressure

Personal protective equipment : Avoid all unnecessary exposure.

Hand protection : Wear protective gloves.

Eye protection : Chemical goggles or face shield.
Skin and body protection : Wear suitable protective clothing.

Respiratory protection : Wear appropriate mask.

Other information : Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Solid Color White Odor : characteristic Odor threshold : No data available pΗ No data available 12.5 (2% wt.) pH solution No data available Melting point Freezing point No data available Boiling point No data available No data available Flash point No data available Relative evaporation rate (butyl acetate=1) Flammability (solid, gas) : No data available **Explosion limits** : No data available

09/17/2015 EN (English US) SDS ID: TB7000 3/7

No data availableNo data available

: No data available

Safety Data Sheet

Relative density : No data available Relative vapor density at 20 °C : No data available

Solubility Water: Solubility in water of component(s) of the mixture :

•: 22 g/100ml •: > 18 g/100ml •: 64 g/100ml •: Complete •: Complete •: 55 g/100ml •: Complete •: g/100ml 42.5-45.0 •: 15 g/100ml •: Complete

Log Pow : No data available : No data available Auto-ignition temperature Decomposition temperature : No data available No data available Viscosity Viscosity, kinematic : No data available Viscosity, dynamic : No data available

Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Thermal decomposition generates: Corrosive vapors.

10.2. **Chemical stability**

Not established.

10.3. Possibility of hazardous reactions

Not established.

Conditions to avoid 10.4.

Direct sunlight. Extremely high or low temperatures.

Incompatible materials

Strong acids. Strong bases.

Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide. Thermal decomposition generates: Corrosive vapors.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

 Not classified Acute toxicity

Sodium Carbonate (497-19-8)		
2800 mg/kg (Rat; Experimental value)		
> 2000 mg/kg (Rabbit; Experimental value)		
2800.000 mg/kg body weight		
Sodium Metasilicate (6834-92-0)		
> 5000 mg/kg body weight (Rat; Read-across; OECD 402: Acute Dermal Toxicity)		
Diethylene Glycol Mono-Butyl Ether (112-34-5)		
2764 mg/kg body weight (Rabbit; Experimental value; Equivalent or similar to OECD 402)		

LD30 definal labbit	2704 mg/kg body weight (Nabbit, Experimental value, Equivalent of Similar to C
ATE US (dermal)	2764.000 mg/kg body weight

Skin corrosion/irritation : Causes severe skin burns and eye damage.

Serious eye damage/irritation Causes serious eye damage.

: Not classified Respiratory or skin sensitization Germ cell mutagenicity : Not classified Carcinogenicity Not classified

Reproductive toxicity : Not classified

Specific target organ toxicity (single exposure) : May cause respiratory irritation.

Specific target organ toxicity (repeated

exposure)

: Not classified

09/17/2015 SDS ID: TB7000 EN (English US) 4/7

Safety Data Sheet

Aspiration hazard : Not classified

Potential Adverse human health effects and

symptoms

: Based on available data, the classification criteria are not met.

Symptoms/injuries after inhalation : May cause respiratory irritation. Symptoms/injuries after eye contact : Causes serious eye damage.

SECTION 12: Ecological information

12.1. Toxicity

Sodium Carbonate (497-19-8)	
LC50 fish 1	300 mg/l (LC50; Other; 96 h; Lepomis macrochirus; Static system; Fresh water; Experimental value)
Threshold limit algae 1	242 mg/l (EC50; 5 days; Algae)
Sodium Metasilicate (6834-92-0)	
LC50 fish 1	210 mg/l (LC50; Equivalent or similar to OECD 203; 96 h; Brachydanio rerio; Semi-static system; Fresh water; Experimental value)
Threshold limit algae 1	207 mg/l (EC50; DIN 38412-9; 72 h; Scenedesmus subspicatus; Fresh water)
Diethylene Glycol Mono-Butyl Ether (112-34-5)	
LC50 fish 1	1300 mg/l (LC50; Equivalent or similar to OECD 203; 96 h; Lepomis macrochirus; Static system; Fresh water; Experimental value)
EC50 Daphnia 1	4950 mg/l (EC50; Equivalent or similar to OECD 202; 48 h; Daphnia magna; Static system; Fresh water; Experimental value)
Threshold limit algae 1	> 100 mg/l (EC50; OECD 201: Alga, Growth Inhibition Test; 96 h; Desmodesmus subspicatus; Static system; Fresh water; Experimental value)

12.2. Persistence and degradability

TRANSBRITE 7000 SPRAY DETERGENT	
Persistence and degradability	Not established.
Sodium Carbonate (497-19-8)	
Persistence and degradability	Biodegradability: not applicable. Low potential for adsorption in soil.
ThOD	Not applicable (inorganic)
Sodium Metasilicate (6834-92-0)	
Persistence and degradability	Biodegradability: not applicable. No (test)data on mobility of the substance available.
Biochemical oxygen demand (BOD)	Not applicable
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable
Diethylene Glycol Mono-Butyl Ether (112-34-5)	
Persistence and degradability	Readily biodegradable in water. Low potential for adsorption in soil. Photooxidation in the air.
Oxirane, Methyl-, Polymer (9003-11-6)	

Not readily biodegradable in water.

12.3. Bioaccumulative potential

Persistence and degradability

TRANSBRITE 7000 SPRAY DETERGENT	
Bioaccumulative potential	Not established.
Sodium Carbonate (497-19-8)	
Log Pow	-6.19 (Estimated value)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).
Sodium Metasilicate (6834-92-0)	
Bioaccumulative potential	Bioaccumulation: not applicable.
Diethylene Glycol Mono-Butyl Ether (112-34-5)	
Log Pow	1 (Test data; Equivalent or similar to OECD 107; 20 °C)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).
Oxirane, Methyl-, Polymer (9003-11-6)	
Bioaccumulative potential	Not bioaccumulative.

09/17/2015 EN (English US) SDS ID: TB7000 5/7

Safety Data Sheet

12.4. Mobility in soil

Diethylene Glycol Mono-Butyl Ether (112-34-5)

Surface tension 0.0069 N/m (20 °C)

12.5. Other adverse effects

Effect on the global warming : No known ecological damage caused by this product.

Other information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

Ecology - waste materials : Avoid release to the environment.

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT Not regulated for transport

TDG

No additional information available

Transport by sea

No additional information available

Air transport

No additional information available

SECTION 15: Regulatory information

15.1. US Federal regulations

Sodium Carbonate (497-19-8)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Sodium Metasilicate (6834-92-0)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Diethylene Glycol Mono-Butyl Ether (112-34-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

SARA Section 313 - Emission Reporting 100 % Glycol Ethers

Oxirane, Methyl-, Polymer (9003-11-6)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

15.2. International regulations

CANADA

No additional information available

EU-Regulations

No additional information available

National regulations

No additional information available

15.3. US State regulations

No additional information available

09/17/2015 EN (English US) SDS ID: TB7000 6/7

Safety Data Sheet

SECTION 16: Other information

Other information : None.

Full text of H-phrases:

Aquatic Acute 3	Hazardous to the aquatic environment - Acute Hazard Category 3
Eye Dam. 1	Serious eye damage/eye irritation Category 1
Eye Irrit. 2A	Serious eye damage/eye irritation Category 2A
Skin Corr. 1A	Skin corrosion/irritation Category 1A
Skin Irrit. 2	Skin corrosion/irritation Category 2
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H314	Causes severe skin burns and eye damage
H315	Causes skin irritation
H318	Causes serious eye damage
H319	Causes serious eye irritation
H335	May cause respiratory irritation
H402	Harmful to aquatic life

SDS US (GHS HazCom 2012)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

09/17/2015 EN (English US) SDS ID: TB7000 7/7